Initial Approval: July 11,2018

## CRITERIA FOR PRIOR AUTHORIZATION

Benzodiazepine Medications – Safe Use for All Ages

PROVIDER GROUP Pharmacy

MANUAL GUIDELINES The following drugs require prior authorization as outlined in the criteria below:

Alprazolam (Xanax®, Xanax XR®, Alprazolam Intensol®, Niravam ODT®)

Chlordiazepoxide (Librium®) Clonazepam (Klonopin®) Clorazepate (Tranxene-T®)

Diazepam (Valium, Diazepam Intensol®)

Estazolam (ProSom®)
Flurazepam (Dalmane®)

Lorazepam (Ativan®, Lorazepam Intensol®)

Oxazepam (Serax®)
Quazepam (Doral®)
Temazepam (Restoril®)
Triazolam (Halcion®)

## CRITERIA FOR PRIOR AUTHORIZATION FOR BENZODIAZEPINES:

- Dosing limits:
  - o Doses exceeding those listed in Table 1 will require a prior authorization
    - Prior authorization will require a written peer-to-peer review with the health plan psychiatrist, medical director, or pharmacy director for approval, followed by a verbal peer-to-peer, if unable to approve written request.
    - Prescriber has reviewed controlled substance prescriptions in the Prescription Drug Monitoring Program (PDMP) (aka K-TRACS).
    - If patient is concurrently on a CNS depressant (e.g. opioid), prescriber has reviewed and will address the increased risk of respiratory depression with the patient.
- Multiple concurrent use:
  - o Three or more different benzodiazepines used concurrently within 30 days will require a prior authorization:
    - Prior authorization will require a written peer-to-peer consult with health plan psychiatrist, medical director, or pharmacy director for approval, followed by a verbal peer-to-peer, if unable to approve written request.
    - Patients with documented seizure diagnosis will automatically be approved.

**LENGTH OF APPROVAL: 12 Months** 

**RENEWAL CRITERIA:** Patient is stable and has been seen in the past year.

<sup>\*</sup>Clinical prior authorization criteria only applies to <u>oral</u> benzodiazepines.

<sup>\*</sup>Onfi® is not included in this PA criteria due to its current exclusive use as adjunctive treatment of seizures associated with Lennox-Gastaut syndrome in patients 2 years and older.

## APPROVED PA Criteria

## TABLE 1. ORAL BENZODIAZEPINE DOSING LIMITS

Drug	Max Daily Dose
Alprazolam	8mg
Chlordiazepoxide	300mg
Clonazepam	20mg
Clorazepate	90mg
Diazepam	40mg
Estazolam	2mg
Flurazepam	30mg
Lorazepam	10mg
Oxazepam	120mg
Quazepam	15mg
Temazepam	30mg
Triazolam	0.5mg

Drug Utilization Review Committee Chair	PHARMACY PROGRAM MANAGER DIVISION OF HEALTH CARE FINANCE KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
DATE	Date